

# shinetoos<sup>®</sup>

The Future Shines Brighter Together






## G5 LED STADIUM LIGHTING

1400W, 1600W

### FEATURES

- Very low windage area (EPA)
- Only 556mm in diameter can easily replace HID / MH / HPS fixtures on existing poles, wiring and mounting arms
- Light weight design ensures less force on poles
- Unique hollow design for excellent heat dissipation


### DIMENSION & WEIGHT



#### Jiaxing Shinetoo Lighting Co.,Ltd(China Factory)

Add:No.258, Xingchang Road, Xincheng Town, Xiuzhou District, Jiaxing, Zhejiang, China 314015  
Tel: +86-573-8350-0001 Fax: +86-573-8350-0005  
Mobile: +86-138-0961-6725/+86-138-1878-3129  
Email:Sales@stedlights.com

## PHOTOMETRICS



## ORDERING INFORMATION

EXAMPLE PART #: ST-RSL - 1400 - NICHIA - MEANWELL- 3K- 70-15° - 100/277V

ST-RSL							
SERIES	WATTS	LED LIGHT SOURCE	DRIVER	CCT	CRI	LENS	INPUT POWER
ST-RSL	1400 1600	NICHIA OSRAM	MEANWELL INVENTRONICS	3K-3000k 4K-4000k 5K-5000k 5.7K-5700k 6.5K-6500k	70 80 90	15°	100-277V 180-528V (Optional)

## SPECIFICATIONS

Beam Angle | 15°

Lumen Output | 182,000LM / 208,000LM

OPERATING TEMPERATURE | -40°C to 50°C

IP RATING | Standard with IP 65, IP66 is optional

LIFE TIME | 50,000hours

## Other Details

Fixture Material | Aluminum

Mounting | Standard with U-Bracket, Slip Fitter and other adpters/arms can be customized

Color | Standard with Grey, Other colors can be customzied after confirmed RAL number

Warranty | Standard with 5 years, 7 / 10 Years can be customzied

## Jiaxing Shinetoo Lighting Co.,Ltd(China Factory)

Add:No.258, Xingchang Road, Xincheng Town, Xiuzhou District,Jiaxing, Zhejiang, China 314015  
Tel: +86-573-8350-0001 Fax: +86-573-8350-0005  
Mobile: +86-138-0961-6725/+86-138-1878-3129  
Email:Sales@stledlights.com

**SPARE PARTS** (Order accessories as separate part number from your Fixture Model No.)



VGS: Visor Glare Shield



Remote Drivers

Distance from Luminaire May Not Exceed 100' .  
Standard Remote Driver Distance from Luminaire is 6'  
unless Otherwise Specified.



Adapters

NOTE: We can customize different  
types adapters and arms.

Visors



①




②



③

Come standard with type 1 Visor, other types need to be customized.

**ADJUSTABLE MOUNT**



Adjustable loop mounting bracket rotates 15° —165° for convenient optical control and easy replacement of existing fixture installations.

**Jiaxing Shinetoo Lighting Co.,Ltd(China Factory)**

Add:No.258, Xingchang Road, Xincheng Town, Xiuzhou District, Jiaxing, Zhejiang, China 314015  
Tel : +86-573-8350-0001 Fax : +86-573-8350-0005  
Mobile : +86-138-0961-6725/+86-138-1878-3129  
Email:Sales@stledlights.com