





LED LINEAR HIGH BAY-S2

70W, 100W, 120W, 150W, 180W
200W, 240W, 300W, 400W


- Unique lighting distribution for warehouse shelving
- Asymmetric and 120 Degree available
- Dimming as optional to maximize energy saving
- Perfect replacement for 250W-1000W HID / MH / HPS
- Optics: Asymmetric / 120 Degree

DIMENSION & WEIGHT


FIXTURE WEIGHT :
3.8 kg





FIXTURE WEIGHT :
6 kg



FIXTURE WEIGHT :
8 kg



PHOTOMETRICS



ORDERING INFORMATION

EXAMPLE PART #: ST-PHBL-G2 - 70 - CREE - MEANWELL- 3K - 70 - 100/277V

ST-PHBL-G2		CREE	MEANWELL			100-277V
SERIES	WATTS	LED LIGHT SOURCE	DRIVER	CCT	CRI	INPUT POWER
ST-PHBL-G2	70	CREE	MEANWELL	3K-3000k	70	100-277V
	100			4K-4000k	80	
	120			5K-5000k	90	
	150			5.7K-5700k		
	180			6.5K-6500k		
	200					
	240					
	300					
	400					

SPECIFICATIONS

Beam Angle | 120° / Asymmetric

Lumen Output | 9,800LM / 14,000LM / 16,800LM
21,000LM / 25,200LM / 28,000LM
33,600LM / 42,000LM / 56,000LM

OPERATING TEMPERATURE | -40°C to 50°C

IP RATING | IP 20 / IP 65

LIFE TIME | 50,000hours

LISTINGS

ETL Listed

DLC Listed

Other Details

Fixture Material | Aluminum

Mounting | Standard with Hook(Stainless Chain included),
U-Bracket customized by order


Color | Standard with White, Other colors can be customized
after confirmed RAL number

Warranty | 5 years


Jiaxing Shinetoo Lighting Co.,Ltd.

Add:No.258, Xingchang Road, Xincheng Town, Xiuzhou District, Jiaxing, Zhejiang, China 314015
Tel : +86-573-8350-0001 Fax : +86-573-8350-0005
Mobile : +86-138-0961-6725 / +86-138-1878-3129
Email:Sales@stledlights.com

SPARE PARTS



Stainless Steel Chains



Roof Mounting